

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: POLYCOUPE AEROSOL

Product code: GRAV 030.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

1.3. Details of the supplier of the safety data sheet

Registered company name: GRAVOTECH MARKING SAS.

Address: 56, avenue Jean Jaurès.10600.La Chapelle Saint Luc.France.

Telephone: +33 (0)3 25 41 65 65. Fax: +33 (0)3 25 79 04 25. e-mail: info@gravograph.fr

http://www.gravograph.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Aerosol, Category 3 (Aerosol 3, H229).

Repeated exposure may cause skin dryness or cracking (EUH066).

Reproductive toxicity, Effects on or via lactation (Lact., H362).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

2.2. Label elements

Mixture for aerosol application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS09

Signal Word : WARNING

Product identifiers :

602-095-00-X ALKANES, C14-17, CHLORO

Additional labeling : Hazard statements :

H229 Pressurised container: May burst if heated.
 H362 May cause harm to breast-fed children.
 H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements - Prevention :

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

POLYCOUPE AEROSOL - GRAV030

P260 Do not breathe spray.

P263 Avoid contact during pregnancy and while nursing.

P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

Precautionary statements - Response :

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Precautionary statements - Storage :

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

Precautionary statements - Disposal:

P501 Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 64742-48-9	GHS08	P	25 <= x % < 26
EC: 265-150-3	Dgr	[1]	
REACH: 01-2119457273-39	Asp. Tox. 1, H304		
	EUH:066		
NAPHTHA (PETROLEUM),			
HYDROTREATED HEAVY			
CAS: 124-38-9		[1]	25 <= x % < 25
EC: 204-696-9			
CARBON DIOXIDE			
CAS: 811-97-2		[1]	25 <= x % < 25
EC: 212-377-0			
REACH: 01-2119459374-33			
NORFLURANE			
INDEX: 602-095-00-X	GHS09	[1]	10 <= x % < 24
CAS: 85535-85-9	Wng		
EC: 287-477-0	Lact., H362		
	Aquatic Acute 1, H400		
ALKANES, C14-17, CHLORO	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
	EUH:066		

(Full text of H-phrases: see section 16)

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

Note P: The carcinogen or mutagen classification does not apply because the substance contains less than 0.1 % w/w of benzene (EINECS 200-753-7).

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable

Keep packages near the fire cool, to prevent pressurised containers from bursting.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- carbon dioxide (CO2)
- dry chemical agents

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- phosgene (CCI2O)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Avoid exposure to pregnant women and warn women of child-bearing age of the possible risks

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

POLYCOUPE AEROSOL - GRAV030

Remove contaminated clothing and protective equipment before entering eating areas.

Fire prevention:

Handle in well-ventilated areas.

Do not pierce or burn, even after use.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Avoid exposure - obtain special instructions before use.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :
124-38-9	9000	5000	-	-	-
- ACGIH TI V (A	American Conference	of Governmental Ind	lustrial Hygienists, Th	reshold Limit Values	2010):

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010)

,			, ,		,
CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
124-38-9	5000 ppm	30,000 ppm			

- Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME :	VME :	Excess	Notes	
124-38-9		5000 ppm		2(II)	
		9100 mg/m ³			
811-97-2		1000 ppm		8(II)	
		4200 mg/m ³			
85535-85-9		0,3 E ppm		8(II)	
		6 E mg/m ³			

- Belgium (Arrêté du 09/03/2014, 2014) :

CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :
124-38-9	5000 ppm	30000 ppm		Α	
	9131 mg/m³	54784 mg/m³			

- France (INRS - ED984:2016):

CAS	VME-ppm :	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes :	TMP No :
124-38-9	5000	9000	-	-	-	-

- Switzerland (SUVAPRO 2017) :

CAS	VME	VLE	Valeur plafond	Notations
64742-48-9	50 ppm	100 ppm		
	300 mg/m ³	600 mg/m ³		
124-38-9	5000 ppm			
	9000 mg/m ³			
811-97-2	1000 ppm			SSC
	4200 mg/m ³			

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS TWA: STEL: Ceiling: Definition: Criteria:	
---	--

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) POLYCOUPE AEROSOL - GRAV030

124-38-9	5000 ppm	15000 ppm
	9150 mg/m ³	27400 mg/m³
811-97-2	1000 ppm	- ppm
	4240 mg/m ³	- mg/m³

- USA / AIHA WEEL (American Industrial Hygiene Association, Workplace Environmental Exposure Limit, 2010):

CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :
811-97-2	1000 ppm				

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

NORFLURANE (CAS: 811-97-2)

Final use: Workers.

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 13936 mg of substance/m3

Final use: Consumers.

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 2476 mg of substance/m3

Predicted no effect concentration (PNEC):

NORFLURANE (CAS: 811-97-2)

Environmental compartment: Fresh water. PNEC: 0.1 mg/l

Environmental compartment: Sea water. PNEC : 0.01 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 1 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.75 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 73 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) POLYCOUPE AEROSOL - GRAV030

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state :	Fluid liquid.
	Spray.
Colour:	Clear Yellow.
Odour:	Characteristic.

Important health, safety and environmental information

pH:	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C):	Below 110 kPa (1.10 bar).
Density:	1.04 (20°C)
Water solubility :	Insoluble.
Chemical combustion heat :	< 20 kJ/g.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid:

- heat
- flames and hot surfaces

10.5. Incompatible materials

Keep away from:

- strong oxidising agents

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- phosgene (CCI2O)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

Presents a risk on or via lactation.

11.1.1. Substances

POLYCOUPE AEROSOL - GRAV030

Acute toxicity:

NORFLURANE (CAS: 811-97-2)

Inhalation route (Dusts/mist): LC50 = 567000 ppm

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

Germ cell mutagenicity:

NORFLURANE (CAS: 811-97-2)

Mutagenesis (in vivo): Negative.

Species: Mouse

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Ames test (in vitro): Negative.

Carcinogenicity:

NORFLURANE (CAS: 811-97-2)

Carcinogenicity Test: Negative.

No carcinogenic effect.

Reproductive toxicant:

NORFLURANE (CAS: 811-97-2) No toxic effect for reproduction

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

NORFLURANE (CAS: 811-97-2)

Fish toxicity: LC50 = 450 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

REACH Method C.1 (Acute Toxicity for Fish)

Crustacean toxicity: EC50 = 980 mg/l

Species : Daphnia magna Duration of exposure : 48 h

REACH Method C.2 (Acute Toxicity for Daphnia)

Algae toxicity: ECr50 = 142 mg/l

Duration of exposure: 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

NORFLURANE (CAS: 811-97-2)

Biodegradability: Non-rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws): Hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

1950

14.2. UN proper shipping name

UN1950=AEROSOLS, asphyxiant

14.3. Transport hazard class(es)

- Classification:



2.2

14.4. Packing group

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5A	-	2.2	-	1 L	190 327 344 625	E0	3	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	2	See SP63	-	See SP277	F-D,S-U	63 190	E0			
						277 327				
						344 381				
						959				
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	2.2	-	-	203	75 kg	203	150 kg	A98 A145	E0	
								A167 A802		
	2.2	-	-	Y203	30 kg G	-	-	A98 A145	E0	1
								A167 A802		

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 75/324/CEE modified by directive 2013/10/UE
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2017/776 (ATP 10)

- Container information:

No data available.

- Particular provisions :


No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws): Hazardous for water.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

The grant of the control of the cont					
H304	May be fatal if swallowed and enters airways.				
H362	May cause harm to breast-fed children.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
EUH066	Repeated exposure may cause skin dryness or cracking.				

Abbreviations :

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS09: Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.